

Essential indicator availability by state

JULY 21, 2020

| | CASES | LINKED | TESTS | % POSITIVE | SYNDROMIC SURVEILLANCE | HOSPITALIZATIONS | OCCUPIED | CONGREGATE FACILITIES | DEATHS | TEST TIME | ISOLATION | INTERVIEW | QUARANTINED | HEALTH CARE WORKER | MASKS | SCORE |
|----------------------|-------|--------|-------|------------|------------------------|------------------|----------|-----------------------|--------|-----------|-----------|-----------|-------------|--------------------|-------|-------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | |
| <u>AR</u> | | | | | | | | | | | | | | | | 3% |
| <u>KY</u> | | | | | | | | | | | | | | | | 3% |
| <u>NM</u> | | | | | | | | | | | | | | | | 3% |
| TOTAL | | | | | | | | | | | | | | | | |
| Green | 0 | 0 | 0 | 3 | 9 | 0 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Yellow | 51 | 8 | 41 | 37 | 11 | 44 | 19 | 32 | 37 | 0 | 0 | 2 | 0 | 8 | 0 | |
| Red | 1 | 44 | 11 | 12 | 32 | 8 | 29 | 20 | 14 | 52 | 52 | 50 | 52 | 44 | 52 | |
| % completely missing | 2% | 85% | 21% | 23% | 62% | 15% | 56% | 38% | 27% | 100% | 100% | 96% | 100% | 85% | 100% | |

Indicator list

| Indicator number | Description | Stratification* |
|------------------|--|---|
| 1 | New confirmed and probable cases and per-capita rates by date** with 7-day moving average | Age, sex, race, ethnicity and zip code Outbreaks vs. community |
| 2 | Percent of new cases epidemiologically linked to at least one other case by date, stratified by whether part of known outbreak or not, with threshold**** | Age, sex, race & ethnicity Outbreaks vs. community |
| 3 | New screening (e.g. antigen) and diagnostic (e.g. PCR) testing per-capita rates by date, with threshold, with 7-day moving average | Age, sex, race & ethnicity |
| 4 | Percent of screening (e.g. antigen) and diagnostic (e.g. PCR) tests positive by date, with threshold, with 7-day moving average | Age, sex, race & ethnicity |
| 5 | CLI and ILI trends from emergency departments***** | |
| 6 | COVID hospitalization per-capita rates by date and 7-day moving average | Age, sex, race & ethnicity |
| 7 | Percentage of licensed beds occupied by suspected and confirmed COVID-19 patients by date | |
| 8 | List (to extent legally permissible in State) of long-term care and other congregate facilities (homeless shelters, correctional facilities), essential workplace (e.g. meat-packing) outbreaks with COVID-19 cases and deaths in residents and staff (cumulative and most recent week); aggregate numbers until specifics legally allowed to be reported, if there are current restrictions | Cumulative and most recent week |
| 9 | New COVID-19 confirmed and probable deaths by date and per-capita rates with 7-day moving average | Age, sex, race, ethnicity and zip code Outbreaks vs. community |
| 10 | Diagnostic (e.g. PCR) test turnaround time (specimen collection to test report), by week | Age, sex, race & ethnicity |
| 11 | Time from specimen collection to isolation of cases, by week | Age, sex, race & ethnicity |
| 12 | Percentage of cases interviewed for contact elicitation within 48 hours of case specimen collection, including all people with positive tests who reside in the jurisdiction, by week | Age, sex, race & ethnicity |
| 13 | Percentage of new cases from among quarantined contacts, by week | Outbreaks vs. community |
| 14 | New infections among health care workers not confirmed to have been contracted outside of the workplace, by week | Age, sex, race & ethnicity |
| 15 | Percentage of people wearing masks correctly in public indoor settings (e.g., mass transit, shopping), based on direct observation or security camera analysis, by a standard, consistent method, by week | |