







## Essential indicator availability by state

JULY 23, 2020

	CASES	LINKED	TESTS	% POSITIVE	SYNDROMIC SURVEILLANCE	HOSPITALIZATIONS	OCCUPIED	CONGREGATE FACILITIES	DEATHS	TEST TIME	ISOLATION	INTERVIEW	QUARANTINED	HEALTH CARE WORKER	MASKS	SCORE
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
<u>AR</u>																3%
<u>KY</u>																3%
<u>NM</u>																3%
TOTAL																
Green	0	0	0	3	9	0	4	0	1	0	0	0	0	0	0	
Yellow	51	8	42	37	11	44	19	32	37	0	1	2	0	8	0	
Red	1	44	10	12	32	8	29	20	14	52	51	50	52	44	52	
% completely missing	2%	85%	19%	23%	62%	15%	56%	38%	27%	100%	100%	96%	100%	85%	100%	

### Indicator list

Indicator number	Description	Stratification*
1	New confirmed and probable cases and per-capita rates by date** with 7-day moving average	Age, sex, race, ethnicity and zip code Outbreaks vs. community
2	Percent of new cases epidemiologically linked to at least one other case by date, stratified by whether part of known outbreak or not, with threshold****	Age, sex, race & ethnicity Outbreaks vs. community
3	New screening (e.g. antigen) and diagnostic (e.g. PCR) testing per-capita rates by date, with threshold, with 7-day moving average	Age, sex, race & ethnicity
4	Percent of screening (e.g. antigen) and diagnostic (e.g. PCR) tests positive by date, with threshold, with 7-day moving average	Age, sex, race & ethnicity
5	CLI and ILI trends from emergency departments*****	
6	COVID hospitalization per-capita rates by date and 7-day moving average	Age, sex, race & ethnicity
7	Percentage of licensed beds occupied by suspected and confirmed COVID-19 patients by date	
8	List (to extent legally permissible in State) of long-term care and other congregate facilities (homeless shelters, correctional facilities), essential workplace (e.g. meat-packing) outbreaks with COVID-19 cases and deaths in residents and staff (cumulative and most recent week); aggregate numbers until specifics legally allowed to be reported, if there are current restrictions	Cumulative and most recent week
9	New COVID-19 confirmed and probable deaths by date and per-capita rates with 7-day moving average	Age, sex, race, ethnicity and zip code Outbreaks vs. community
10	Diagnostic (e.g. PCR) test turnaround time (specimen collection to test report), by week	Age, sex, race & ethnicity
11	Time from specimen collection to isolation of cases, by week	Age, sex, race & ethnicity
12	Percentage of cases interviewed for contact elicitation within 48 hours of case specimen collection, including all people with positive tests who reside in the jurisdiction, by week	Age, sex, race & ethnicity
13	Percentage of new cases from among quarantined contacts, by week	Outbreaks vs. community
14	New infections among health care workers not confirmed to have been contracted outside of the workplace, by week	Age, sex, race & ethnicity
15	Percentage of people wearing masks correctly in public indoor settings (e.g., mass transit, shopping), based on direct observation or security camera analysis, by a standard, consistent method, by week	